

## Preliminary Catch and Landings Information for NEFMC FMPs

All catch and landings data is preliminary and subject to revision. Source: NMFS

### 1. Scallops

Fishing year **2010/11**

Period: Full year March 1, 2010 – Feb. 28, 2011

| ABC/ACL (mt) | Projected Discards (mt) | Landings (mt) | Landings plus Discards (mt) | Percent of ABC/ACL Caught |
|--------------|-------------------------|---------------|-----------------------------|---------------------------|
| 29,578       | 3,363                   | 25,815        | 29,178                      | 99%                       |

See <http://www.nero.noaa.gov/ro/fso/scal.htm> for available in-season landings reports.

### 2. Groundfish (sector & common pool)

Fishing year: **2010/11**

Period Full year (preliminary) May1, 2010 – April 30, 2011

| Stock                      | Sub-ACL (mt) | Cumulative Catch (mt) | Percent of ABC/ACL Caught |
|----------------------------|--------------|-----------------------|---------------------------|
| GB Cod East                | 337          | 258                   | 50%                       |
| GB Cod                     | 3,430        | 2,862                 | 75%                       |
| GOM Cod                    | 4,567        | 3,855                 | 85%                       |
| Plaice                     | 2,848        | 1,544                 | 54%                       |
| GB Winter Flounder         | 1,852        | 1,396                 | 70%                       |
| GOM Winter Flounder        | 158          | 106                   | 69%                       |
| Witch Flounder             | 852          | 733                   | 85%                       |
| CC/GOM Yellowtail Flounder | 779          | 600                   | 80%                       |
| GB Yellowtail Flounder     | 823          | 761                   | 65%                       |
| SNE/MA Yellowtail Flounder | 310          | 171                   | 52%                       |
| GB Haddock East            | 11,988       | 1,834                 | 14%                       |
| GB Haddock                 | 40,440       | 8,365                 | 18%                       |
| GOM Haddock                | 825          | 379                   | 46%                       |
| White Hake                 | 2,556        | 2,265                 | 83%                       |
| Pollock                    | 16,553       | 5,629                 | 32%                       |
| Redfish                    | 6,846        | 2,155                 | 31%                       |

## 2. Groundfish (sector & common pool)

Fishing year: **2010/11**

Period May 1, 2011 –June 11, 2011 (11% of fishing year)

|    | Stock                      | Sub-ACL (mt) | Cumulative Catch (mt) | Percent of ABC/ACL Caught |
|----|----------------------------|--------------|-----------------------|---------------------------|
| 1  | GB Cod East                | 200          | 75                    | 38%                       |
| 2  | GB Cod                     | 4,301        | 492                   | 11%                       |
| 3  | GOM Cod                    | 4,825        | 623                   | 13%                       |
| 4  | Plaice                     | 3,108        | 120                   | 4%                        |
| 5  | GB Winter Flounder         | 2,007        | 307                   | 15%                       |
| 6  | GOM Winter Flounder        | 158          | 16                    | 10%                       |
| 7  | Witch Flounder             | 1,236        | 103                   | 8%                        |
| 8  | CC/GOM Yellowtail Flounder | 940          | 104                   | 11%                       |
| 9  | GB Yellowtail Flounder     | 1,142        | 127                   | 11%                       |
| 10 | SNE/MA Yellowtail Flounder | 524          | 8                     | 1%                        |
| 11 | GB Haddock East            | 9,640        | 288                   | 3%                        |
| 12 | GB Haddock                 | 30,840       | 2,119                 | 7%                        |
| 13 | GOM Haddock                | 787          | 59                    | 8%                        |
| 14 | White Hake                 | 2,974        | 213                   | 7%                        |
| 15 | Pollock                    | 13,952       | 874                   | 6%                        |
| 16 | Redfish                    | 7,541        | 386                   | 5%                        |
| 17 | SNE/MA Winter Flounder     | 726          | 40                    | 6%                        |
| 18 | Southern Windowpane        | 154          | 4                     | 3%                        |
| 19 | Northern Windowpane        | 110          | 35                    | 32%                       |
| 20 | Ocean Pout                 | 239          | 12                    | 5%                        |
| 21 | Halibut                    | 33           | 14                    | 42%                       |
| 22 | Wolffish                   | 73           | 12                    | 17%                       |

### 3. Herring

Fishing year **2010**

Period: Full year: Jan. 1, 2010 – Dec. 31, 2011

| Specification            | Specification Amount (mt) | Landings (mt) | Percent Landed |
|--------------------------|---------------------------|---------------|----------------|
| <b>ABC</b>               | <b>106,000</b>            | <b>67,296</b> | <b>63%</b>     |
| Stock-wide ACL / U.S. OY | 91,200                    | 67,296        | 74%            |
| Sub-ACL Area 1A          | 26,546                    | 27,113        | 102%           |
| Sub-ACL Area 1B          | 4,362                     | 5,990         | 137%           |
| Sub-ACL Area 2           | 22,146                    | 18,763        | 85%            |
| Sub-ACL Area 3           | 38,146                    | 15,430        | 40%            |

OFL = 145,000 mt

**Fishing year 2011**

Period: Jan. 1, 2011 – Jun. 16, 2011; (45% of fishing year)

| Management Area | Sub-ACL (mt) | Cumulative Catch (mt) | Percent of Sub-ACL |
|-----------------|--------------|-----------------------|--------------------|
| 1A              | 26,251       | 5,454                 | 21%                |
| 1B              | 4,362        | 1,515                 | 35%                |
| 2               | 22,146       | 12,453                | 56%                |
| 3               | 38,146       | 4,065                 | 11%                |
| Total           | 90,905       | 18,579                | 20%                |

### 4. Monkfish

Fishing year **2010/11**

Period: Full year (preliminary): May 1, 2010 – Apr. 30, 2011

| Stock Area               | Target TAL (mt) | Landings (mt) | Percent Landed |
|--------------------------|-----------------|---------------|----------------|
| Northern Management Area | 5,000           | 2,834         | 57%            |
| Southern Management Area | 5,100           | 4,484         | 90%            |
| Total                    | 10,100          | 7,318         | 73%            |

Note: ACLs and AMs will be implemented in 2011-2012 fishing year

#### **Proposed in Amendment 5 and Framework 7**

Period: Fishing year 2011/12

| Stock Area               | ACL (mt) | ACT (mt) |
|--------------------------|----------|----------|
| Northern Management Area | 7,592    | 6,567    |
| Southern Management Area | 12,316   | 11,467   |
| Total                    | 19,908   | 18,034   |

## 5. Small Mesh Multispecies (whiting, red hake, offshore hake)

ABCs, ACLs and AMs for this FMP are under development.

## 6. Skates

Fishing year **2010/11**

Period: Full year (preliminary): May 1, 2010 –Apr. 14, 2011

|                                       | Specification Amount | Catch/Landings (mt) | Percent Caught/Landed |
|---------------------------------------|----------------------|---------------------|-----------------------|
| ABC                                   | 41,080               | 31,545              | 77%                   |
| ACT (75% of ABC)                      | 30,810               | 31,545              | 102%                  |
| Assumed discards & state waters catch | 16,962               | 16,962              | na                    |
| TAL (EEZ)                             | 13,848               | 14,583              | 105%                  |
| TAL Bait                              | 4,639                | 4,513               | 97%                   |
| TAL Wings                             | 9,209                | 10,070              | 109%                  |

Fishing year **2011/12**

Period: Partial year: May 1, 2011 – Jun. 16, 2011

|                                       | Specification Amount | Landings (mt) | Percent Caught/Landed |
|---------------------------------------|----------------------|---------------|-----------------------|
| ABC                                   | 41,080               | 19,319        | 47%                   |
| ACT (75% of ABC)                      | 30,810               | 19,319        | 63%                   |
| Assumed discards & state waters catch | 16,962               | 16,962        | na                    |
| TAL (EEZ)                             | 13,848               | 2,357         | 17%                   |
| TAL Bait                              | 4,639                | 278           | 6%                    |
| TAL Wings                             | 9,209                | 2,079         | 23%                   |

## 7. Red Crab

Fishing year **2010/11**

Period: Full year: March 1, 2010 – Feb. 28, 2011

| ABC/ACL/TAL (mt) | Landings (mt) | Percent Landed |
|------------------|---------------|----------------|
| 1,775            | 1,213         | 68%            |