

**Summary Table  
Common Pool 2nd  
Trimester  
Catch Monitoring**

Report run on:  
For data reported through:  
Quota Period:  
Quota Period Dates:

November 01 2012  
October 31 2012  
2012  
May 1, 2012 to April 30, 2013

Stock	Cumulative Kept (mt)	Cumulative Discard (mt)	Cumulative Catch (mt)	Second Trimester Sub-ACL** (mt)	Percent Caught
GB Cod East	0.0	0.0	0.0	3.0*	1.3
GB Cod	4.4	0.2	4.7	42.9	10.9
GOM Cod	4.5	0.4	4.9	29.1	16.7
GB Haddock East	0.0	0.0	0.0	19.0*	0.0
GB Haddock	0.0	0.0	0.0	45.0	0.0
GOM Haddock	0.1	0.0	0.2	1.6	9.7
GB Yellowtail Flounder	0.0	0.0	0.0	1.9	0.0
SNE Yellowtail Flounder	0.0	0.0	0.0	88.7	0.0
CC/GOM Yellowtail Flounder	0.1	0.0	0.1	16.6	0.4
American Plaice	0.1	0.0	0.1	29.0	0.3
Witch Flounder	0.1	0.0	0.1	11.4	0.9
GB Winter Flounder	0.0	0.0	0.0	5.5	0.0
GOM Winter Flounder	0.4	0.0	0.4	17.9	2.0
SNE Winter Flounder	0.0	0.0	0.1	303.0*	0.0
Redfish	0.4	0.1	0.5	16.2	3.0
White Hake	4.5	2.0	6.5	8.1	80.0
Pollock	15.3	1.9	17.2	32.9	52.3
Northern Windowpane	0.0	0.0	0.0	129.0*	0.0
Southern Windowpane	0.0	1.6	1.6	72.0*	2.2
Ocean Pout	0.0	0.0	0.0	214.0*	0.0
Halibut	0.1	0.0	0.1	36.0*	0.3
Wolfish	0.0	0.0	0.0	73.0*	0.0

\* Full Fishing Year ACL

\*\* Includes underages from first trimester and can change due to data updates

**Summary Table  
Common Pool Full Year  
Catch Monitoring**

Report run on:  
For data reported through:  
Quota Period:  
Quota Period Dates:

November 01 2012  
October 31 2012  
2012  
May 1, 2012 to April 30, 2013

Stock	Cumulative Kept (mt)	Cumulative Discard (mt)	Cumulative Catch (mt)	Sub-ACL (mt)	Percent Caught
GB Cod East	0.0	0.0	0.0	3.0	1.3
GB Cod	11.8	0.5	12.3	81.0	15.2
GOM Cod	23.2	2.9	26.1	80.0	32.7
GB Haddock East	0.0	0.0	0.0	19.0	0.0
GB Haddock	0.1	0.0	0.1	75.0	0.1
GOM Haddock	0.9	0.1	0.9	5.0	19.0
GB Yellowtail Flounder	0.1	0.0	0.2	4.2	4.1

SNE Yellowtail Flounder	0.2	0.1	0.3	153.0	0.2
CC/GOM Yellowtail Flounder	1.1	0.2	1.3	25.0	5.3
American Plaice	3.3	0.6	3.9	55.0	7.0
Witch Flounder	1.4	0.2	1.6	22.0	7.3
GB Winter Flounder	0.7	0.0	0.8	20.0	3.8
GOM Winter Flounder	0.9	0.0	0.9	25.0	3.7
SNE Winter Flounder	0.1	0.2	0.2	303.0	0.1
Redfish	2.4	0.7	3.2	34.0	9.3
White Hake	16.5	4.0	20.4	26.0	78.6
Pollock	31.9	3.9	35.8	82.0	43.7
Northern Windowpane	0.0	0.0	0.0	129.0	0.0
Southern Windowpane	0.3	2.9	3.2	72.0	4.5
Ocean Pout	0.1	0.1	0.2	214.0	0.1
Halibut	3.0	0.0	3.1	36.0	8.5
Wolffish	0.0	0.1	0.1	73.0	0.1

### Notice

The 2012 Quota Period began on May 1, 2012, therefore this report does not contain any landings reported prior to May 1, 2012.

Management actions for the Common Pool Program, under the authority of the Regional Administrator (such as closures and possession limits) are based upon Vessel Monitoring System (VMS) reports and other available information.



**National  
Oceanic and  
Atmospheric  
Administration**

These data are the best available to NOAA's National Marine Fisheries Service (NMFS) when this report was compiled. Data for this report may be supplied to NOAA Fisheries Service (NMFS) from the following sources: (1) vessels via Vessel Monitoring System; (2) Vessel Trip Reports; (3) fish dealer purchase reports; and the (4) NOAA Fisheries Service Observer Program, through audited observer reports submitted by the Northeast Fisheries Science Center. Data in this report are for landings made through October 31 2012 and may be preliminary. Differences with data from previous reports are due to corrections made to the database and updates to observer data.

#9b

**Summary Table**  
**Sector**  
**Catch Monitoring**

Report run on:  
 For data reported through:  
 Quota Period:  
 Quota Period Dates:

November 01 2012  
 October 31 2012  
 2012  
 May 1, 2012 to April 30, 2013

Stock	Cumulative Kept (mt)	Cumulative Discard (mt)	Cumulative Catch (mt)	Sub-ACL** (mt)	Percent Caught
GB Cod East	13.3	19.1	32.3	159	20.3
GB Cod	833.7	72.1	905.8	4524	20
GOM Cod	870.7	35.9	906.6	3619	25
GB Haddock East	183.6	30.4	214.0	6861	3.1
GB Haddock	608.5	99.5	708.1	27363	2.6
GOM Haddock	76.6	7.9	84.5	648	13
GB Yellowtail Flounder	53.0	6.7	59.6	364.1	16.4
SNE/MA Yellowtail Flounder	11.1	0.8	11.9	607	2
CC/GOM Yellowtail Flounder	330.2	47.7	377.9	1021	37
Plaice	757.1	156.4	913.5	3223	28.3
Witch Flounder	507.6	31.3	538.9	1426	37.8
GB Winter Flounder	1,532.3	2.6	1,534.9	3367	45.6
GOM Winter Flounder	126.0	4.1	130.0	690	18.8
SNE Winter Flounder	29.9	42.6	72.4	NA*	NA*
Redfish	2,026.7	152.2	2,178.9	8291	26.3
White Hake	1,200.9	24.0	1,224.9	3257	37.6
Pollock	3,449.3	53.2	3,502.5	12530	28
Northern Windowpane	0.0	41.5	41.5	NA*	NA*
Southern Windowpane	0.0	8.6	8.6	NA*	NA*
Ocean Pout	0.0	19.9	19.9	NA*	NA*
Halibut	9.9	23.5	33.4	NA*	NA*
Wolfish	0.0	27.9	28.0	NA*	NA*

\* No ACL See

FY2012 Commercial Table

\*\* Does not include Sector Carryover

Notice

The 2012 Quota Period began on May 1, 2012, therefore this report does not contain any landings reported prior to May 1, 2012.



**National  
 Oceanic and  
 Atmospheric  
 Administration**

These data are the best available to NOAA's National Marine Fisheries Service (NMFS) when this report was compiled. Data for this report may be supplied to NOAA Fisheries Service (NMFS) from the following sources: (1) vessels via Vessel Monitoring System; (2) Vessel Trip Reports; (3) fish dealer purchase reports; and the (4) NOAA Fisheries Service Observer Program, through audited observer reports submitted by the Northeast Fisheries Science Center. Data in this report are for landings made through October 31 2012 and may be preliminary. Differences with data from previous reports are due to corrections made to the database and updates to observer data.

**Commercial Summary Table**  
**(Sector and Common Pool)**  
**Catch Monitoring**

Report run on:  
 For data reported through:  
 Quota Period:  
 Quota Period Dates:

November 01 2012  
 October 31 2012  
 2012  
 May 1, 2012 to April 30, 2013

#9c

Stock	Cumulative Kept (mt)	Cumulative Discard (mt)	Cumulative Catch (mt)	Sub-ACL* (mt)	Percent Caught
GB Cod East	13.3	19.1	32.4	162.0	20.0
GB Cod	845.5	72.6	918.0	4,605.0	19.9
GOM Cod	893.9	38.8	932.7	3,699.0	25.2
GB Haddock East	183.6	30.4	214.0	6,880.0	3.1
GB Haddock	608.6	99.5	708.2	27,438.0	2.6
GOM Haddock	77.4	8.0	85.4	653.0	13.1
GB Yellowtail Flounder	53.1	6.7	59.8	368.3	16.2
SNE/MA Yellowtail Flounder	11.3	0.9	12.2	760.0	1.6
SNE Yellowtail Flounder	11.3	0.9	12.2	760.0	1.6
CC/GOM Yellowtail Flounder	331.3	47.9	379.2	1,046.0	36.3
American Plaice	760.3	157.0	917.4	3,278.0	28.0
Plaice	760.3	157.0	917.4	3,278.0	28.0
Witch Flounder	509.0	31.5	540.5	1,448.0	37.3
GB Winter Flounder	1,533.0	2.6	1,535.6	3,387.0	45.3
GOM Winter Flounder	126.9	4.1	131.0	715.0	18.3
SNE Winter Flounder	29.9	42.7	72.7	303.0	24.0
Redfish	2,029.2	152.9	2,182.1	8,325.0	26.2
White Hake	1,217.3	28.0	1,245.3	3,283.0	37.9
Pollock	3,481.2	57.1	3,538.3	12,612.0	28.1
Northern Windowpane	0.0	41.5	41.5	129.0	32.2
Southern Windowpane	0.3	11.6	11.9	72.0	16.5
Ocean Pout	0.1	20.1	20.2	214.0	9.4
Halibut	12.9	23.5	36.4	36.0	101.2
Wolffish	0.0	28.0	28.1	73.0	38.4

\* Does not include Sector Carryover

### Notice

The 2012 Quota Period began on May 1, 2012, therefore this report does not contain any landings reported prior to May 1, 2012.

Management actions for the Common Pool Program, under the authority of the Regional Administrator (such as closures and possession limits) are based upon Vessel Monitoring System (VMS) reports and other available information.



**National  
 Oceanic and  
 Atmospheric  
 Administration**

These data are the best available to NOAA's National Marine Fisheries Service (NMFS) when this report was compiled. Data for this report may be supplied to NOAA Fisheries Service (NMFS) from the following sources: (1) vessels via Vessel Monitoring System; (2) Vessel Trip Reports; (3) fish dealer purchase reports; and the (4) NOAA Fisheries Service Observer Program, through audited observer reports submitted by the Northeast Fisheries Science Center. Data in this report are for landings made through October 31 2012 and may be preliminary. Differences with data from previous reports are due to corrections made to the database and updates to observer data.


**Common Pool Eastern  
U.S./Canada Management Area  
Weekly Cod Monitoring**

Report run on: November 1, 2012  
 For data reported through: November 1, 2012  
 Quota Period Dates: May 1, 2012 to April 30, 2013

**#9d**

Period End Date	Cod Landed (lb)	Estimated Cod Discarded (lb)	Cod Catch (lb)	Cumulative Cod Catch	
				(lb)	% of Quota (6,614 lb)
5/26/2012	0	0	0	0	0.0%
6/30/2012	0	0	0	0	0.0%
7/28/2012	0	0	0	0	0.0%
8/4/2012	0	0	0	0	0.0%
8/11/2012	0	0	0	0	0.0%
8/18/2012	0	0	0	0	0.0%
8/25/2012	0	0	0	0	0.0%
9/1/2012	0	0	0	0	0.0%
9/8/2012	0	0	0	0	0.0%
9/15/2012	0	0	0	0	0.0%
9/22/2012	0	0	0	0	0.0%
9/29/2012	0	0	0	0	0.0%
10/6/2012	0	0	0	0	0.0%
10/13/2012	0	0	0	0	0.0%
10/20/2012	0	0	0	0	0.0%
10/27/2012	0	0	0	0	0.0%
11/3/2012	0	0	0	0	0.0%
Total	0	0	0	0	0.0%

**Common Pool Eastern U.S./Canada Cod Catch**



**Notice:** The 2012 quota period began on May 1, 2012.




**National  
Oceanic and  
Atmospheric  
Administration**

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting; (4) NMFS Observer Program, through audited observer reports submitted by the Northeast Fisheries Science Center. Differences with previous reports are due to corrections made to the database and updates to observer data.

**Common Pool Eastern U.S./Canada Management Area Weekly Haddock Monitoring** Report run on: November 1, 2012 **#9e**  
 For data reported through: November 1, 2012  
 Quota Period Dates: May 1, 2012 to April 30, 2013

Period End Date	Haddock Landed (lb)	Estimated Haddock Discarded (lb)	Haddock Catch (lb)	Cumulative Haddock Catch	
				(lb)	% of Quota (41,888 lb)
5/26/2012	0	0	0	0	0.0%
6/30/2012	0	0	0	0	0.0%
7/28/2012	0	0	0	0	0.0%
8/4/2012	0	0	0	0	0.0%
8/11/2012	0	0	0	0	0.0%
8/18/2012	0	0	0	0	0.0%
8/25/2012	0	0	0	0	0.0%
9/1/2012	0	0	0	0	0.0%
9/8/2012	0	0	0	0	0.0%
9/15/2012	0	0	0	0	0.0%
9/22/2012	0	0	0	0	0.0%
9/29/2012	0	0	0	0	0.0%
10/6/2012	0	0	0	0	0.0%
10/13/2012	0	0	0	0	0.0%
10/20/2012	0	0	0	0	0.0%
10/27/2012	0	0	0	0	0.0%
11/3/2012	0	0	0	0	0.0%
Total	0	0	0		

**Common Pool Eastern U.S./Canada Haddock Catch**



Notice: The 2012 quota period began on May 1, 2012.



**National Oceanic and Atmospheric Administration**

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting; (4) NMFS Observer Program, through audited observer reports submitted by the Northeast Fisheries Science Center. Differences with previous reports are due to corrections made to the database and updates to observer data.


**Common Pool U.S./Canada  
Management Area Weekly  
Yellowtail Monitoring**

Report run on: November 1, 2012  
 For data reported through: November 1, 2012  
 Quota Period Dates: May 1, 2012 to April 30, 2012

**#9f**

Period End Date	Yellowtail Landed (lb)	Estimated Yellowtail Discarded (lb)	Yellowtail Catch (lb)	Cumulative Yellowtail Catch	
				(lb)	% of Quota (9,259 lb)
5/26/2012	161	45	206	206	2.2%
6/30/2012	0	0	0	206	2.2%
7/28/2012	107	63	170	375	4.1%
8/4/2012	0	0	0	375	4.1%
8/11/2012	0	0	0	375	4.1%
8/18/2012	0	0	0	375	4.1%
8/25/2012	0	0	0	375	4.1%
9/1/2012	0	0	0	375	4.1%
9/8/2012	0	0	0	375	4.1%
9/15/2012	0	0	0	375	4.1%
9/22/2012	0	0	0	375	4.1%
9/29/2012	0	0	0	375	4.1%
10/6/2012	0	0	0	375	4.1%
10/13/2012	0	0	0	375	4.1%
10/20/2012	0	0	0	375	4.1%
10/27/2012	0	0	0	375	4.1%
11/3/2012	0	0	0	375	4.1%
<b>Total</b>	<b>268</b>	<b>107</b>	<b>375</b>		

**Common Pool U.S./Canada Yellowtail Catch**



**Notice**

The 2012 quota period began on May 1, 2012.



**National  
Oceanic and  
Atmospheric  
Administration**

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting; (4) NMFS Observer Program, through audited observer reports submitted by the Northeast Fisheries Science Center. Differences with previous reports are due to corrections made to the database and updates to observer data.