

### Multispecies ABCs

Science and Statistical Committee
New England Fishery Management Council
April 30 – May 1, 2008

#### ABC Guidance - Review

- Evaluate stock productivity and assessment uncertainty for each stock
- Use result to determine catch level from AGEPRO catch distribution output
- Rerun AGEPRO with catch level to estimate risk of exceeding desired fishing mortality

\*

Stock Productivity Factors						
Factor 1 2 3						
SSB/SSBMSY	Less than 0.5	0.5-1	Greater than 1			
Recent recruitment	Below median	Median to average	Above average			
Weights at age	Declining/Low	Stable	Increasing/High			
Population Age Structure	Narrow/ truncated	Mixed	Dispersed/expande d			
Geographic Distribution	Stock becoming concentrated		Dispersed throughout range			
Susceptibility						

Assessment Uncertainty Factors				
Factor	1	2	3	
Type of Assessment	Index/None	SPM	Age-based (VPA, SCAA, etc.)	
Historic Assessment Performance	Poor: estimates of F or B highly variable; predicted catch does not match realized F	Fair	Good: Assessment provides consistent estimates over time; predicted catches match realized Fs	
Retrospective pattern	Pattern strongly over- estimates terminal year B, or under-estimates terminal year F, persistent	Pattern variable or minor	Minimal or no pattern	
Amount of projected catch based on a recruitment assumption	Over 25%	10%-25%	Less than 10%	

y		Assessment Uncertainty				
i t		1	2	3		
u c ti	1.	ABC = 1% Fcontrol rule or 1% Freb	ABC = 10% Fcontrol rule or 10% Freb	ABC = 10% Fcontrol rule or 10% Freb		
k P r o	2	ABC = 10% Fcontrol rule or 10% Freb	ABC=25% of Fcontrol rule Or 25% of Freb	ABC=25% of Fcontrol rule Or 25% of Freb		
S t o c	3	ABC = 10% Fcontrol rule 10% Freb	ABC=25% of Fcontrol rule Or 25% of Freb	ABC= Fcontrol rule Or ABC=Median catch at Freb		

### **Test of Approach**

- Apply proposed ABC framework to several stocks using GARM II assessment results
- Compare resulting TACs to actual catches and GARM III assessment results to determine if approach would have prevented overfishing
- Stocks used: GB cod, GOM cod, CC/GOM yellowtail flounder

### **Problems Interpreting Test**

- Changes in assessment models and formulations from GARM II to GARM III
- GARM II did not correct for retrospective pattern; GARM III attempted to address retrospective patterns
- Changes in fully-recruited ages from GARM II to GARM III

### GOM Cod ABC Approach

- Stock productivity average: 1.7
- Assessment uncertainty average:
  - 2.5/2.25/2/2
- Selected percentile: 10%

YEAR	1€	5 <del>%</del>	10€	25 <del>8</del>	50%
2005	6.135	7.013	7.562	8.322	9.301
2006	3.296	3.718	4.053	4.496	5.146
2007	5.089	5.971	6.671	8.076	10.020
2008	6.246	7.092	7.717	8.871	10.491
2009	6.310	7.306	7.938	9.159	10.839

### GOM Cod Results

- Run projection forward using ABC TACs (10<sup>th</sup> percentile from projection)
- Compare to GARM III results and GARM II projection using actual catch

Year	Projected F (4-5)	Projected SSB	ABC TAC	Actual Catch
2005	0.58	23.9 (19.4 - 30.0)	7.562	5.64
2006	0.18 (0.13-0.23)	35.5 (25.3 - 40.0)	4.053	4.53
2007	0.14 (0.09 - 0.23)	46.7 (32.5 - 69.0)	6.671	5.63

Year	GARM III F (5-7)	GARM III SSB	Expected F
2005	0.63	11	0.31 (0.25 -0.40)
2006	0.58	19.1	0.17 (0.13 - 0.23)
2007	0.46	33.9 (29.1 - 41.7)	0.11 (0.07 - 0.17)

# CC/GOM Yellowtail (1) ABC Approach

- Stock productivity average: 2
- · Assessment uncertainty average:
  - 1.5/1.25/1.25/1.25
- Selected percentile: 10%

YEAR	18	5 <del>8</del>	108	25%	50%
2005	0.724	0.845	0.901	1.044	1.234
2006	0.408	0.456	0.497	0.564	0.€50
2007	0.841	0.900	0.934	0.997	1.078
2008	0.936	1.041	1.113	1,249	1.406
2009	0.398	0.450	0.434	0.541	0.608
2009	0.398	0.450	10.4041	0.541	0.600

## CC/GOM Yellowtail (1) Results

- Run projection forward using ABC TACs (10<sup>th</sup> percentile from projection)
- Compare to GARM III results and GARM II projection with actual catch

Year	Projected F (4-5)	Projected SSB	ABC TAC	Actual Catch
2005	0.75	1.3 (1.0 - 1.8)	0.901	0.997
2006	0.19 (0.14 - 0.26)	2.0 (1.5 - 3.0)	0.407	0.62
2007	0.214 (0.17 - 0.26)	3.7 (3.0 - 4.9)	0.934	0.627
Year	GARM III F (4-	5) GARM I	II SSB	Expected F
000=	4 = 0			(0 44 0 05)

Year	GARM III F (4-5)	GARM III SSB	Expected F
2005	1.53	0.796	0.57 (0.41 - 0.87)
2006	1.01	1.1	0.23 (0.15 - 0.34)
2007	0.41 (.3152)	1.92 (1.6 - 2.4)	0.14 (0.10 - 0.170

### CC/GOM Yellowtail (2)

 What if GARM II assessment was adjusted for its retrospective pattern using the Mohn's Rho approach developed in GARM III?

Year	<b>ABC TAC</b>	Retro. Adj. TAC	<b>Actual Catch</b>
2005	0.901	0.981	0.997
2006	0.407	0.719	0.62
2007	0.934	1.439	0.627

 Retrospective adjustment results in INCREASED TACs during time period

### GB Cod ABC Approach

- Stock productivity average: 1.2
- Assessment uncertainty average:
  - 2.25/2.25/2.25/2
- Selected percentile: 10%

YEAR	1.9	56	10%	3/5/4	50%
2003	3.624	4.207	4.413	4.770	5.235
2006	4.974	5.602	5.920	6.636	7.458
2007	5.945	5.841	7.296	8.467	9.822
2006	6.685	7.934	8.604	10.045	11.855
2009	60.371	7.435	8.150	9.535	11.368
2 G J W	DU 10 ( )	2.435	0.150	W. MA.	11.

### GB Cod Results

- Run projection forward using ABC TACs (10<sup>th</sup> percentile from projection)
- Compare to GARM III results and GARM II projection with actual catch

Year	Projected F (4-8)	Projected SSB	ABC TAC (landings)	Actual Catch
2005	0.24	25.9 (22.8 - 31.3)	4.433	4.401
2006	0.16 (0.12 - 0.21)	39.5 (32.5 - 53.6)	5.92	4.611
2007	0.15 (0.10 - 0.21)	49.3 (38.4 - 71.2)	7.296	5.957

Year	GARM III F (5-8)	GARM III SSB	Expected
2005	0.72	10.6	0.20 (0.16 - 0.24)
2006	0.52	14.3	0.12 (0.09 - 0.16)
2007	0.3	17.7	0.12 (0.08 - 0.16)

### GB Cod (2)

 What if GARM II assessment was adjusted for its retrospective pattern using the Mohn's Rho approach developed in GARM III?

Year	ABC TAC	Retro. Adj. TAC	<b>Actual Catch</b>
2005	4.433	3.676	4.401
2006	5.92	6.844	4.611
2007	7.296	9.382	5.957

 Retrospective adjustment results in INCREASED TACs during time period

### Conclusions

- Proposed method would not have ended overfishing if used with GARM II assessments
- Mohn's Rho adjustment can alter ABCs in the wrong direction
- Difficult to assess projection when assessment changes

### Stocks Without Projections

- Determine median exploitation during period of increasing or stable biomass
- Apply to recent biomass estimate

Questions?